C9000 SERIES V2 COLOUR AND MONO PRINTERS

- C9300 V2
- C9500 V2

OKI

C9000 Series

C9000 SERIES V2 COLOUR AND MONO PRINTERS



C9000 Series V2: providing larger workgroups with the versatility to meet all their business needs

SPEED AND VERSATILITY – EVERYTHING THAT MODERN BUSINESS DEMANDS

The demands on businesses are ever increasing – time is money and downtime is money wasted. In the larger office particularly, it is vitally important that colour and mono printers can perform tasks quickly and reliably with the flexibility to handle different media requirements.

Oki's improved C9000 Series V2 embraces all these attributes and more. They are super fast and extremely flexible. And as the first to introduce 2-in-1 printing into the workplace, Oki are enabling businesses to benefit from printers that offer high quality colour printing and affordable mono printing all on one machine.

So now every member of your workgroup can produce premium quality results every time.

FLEXIBILITY – THE KEY TO OFFICE PRODUCTIVITY

It wasn't so long ago that the office printer offered A4 in mono and not much else. How times have changed. Your modern office requires so much more and the C9000 Series V2 provides the ultimate flexibility in colour and mono. Super quick, our printers can deliver a remarkable 30 pages per minute colour and 37 pages per minute mono A4. Ideal for workgroups with demanding needs or teams who print high volumes.

What's more, you can fulfill your full creative potential by printing on a range of different paper sizes and utilizing media up to 203gsm. General office applications such as professional looking business cards, small A6 postcards, smart A4 booklets, formal spreadsheets, oversized A3 designs, timing plans and large colourful banners up to 1.2m long are all achievable. The C9500 V2 also possesses a superior 1200 x 1200 dpi resolution for premium colour which makes it particularly suitable for producing customer-facing documents including brochures, mailers and highly personalized direct marketing pieces.

Versatility is the key. With up to 5 paper trays, each supporting paper weights of up to 203gsm, and an integrated duplex unit the C9000 Series V2 maximises office productivity and keeps user intervention to a minimum.

C9000 Series V2


SINGLE-PASS DIGITAL LED TECHNOLOGY DELIVERS HIGH SPEED AND SUPERB RELIABILITY
TIME TO FIRST PRINT 11.5 SECS COLOUR AND 10 SECS MONO
30PPM COLOUR AND 37PPM MONO
UP TO 1200 X 1200 DPI RESOLUTION
INTEGRATED DUPLEX UNIT FOR DOUBLE-SIDED PRINTING (OPTIONAL ON THE C9300n)
PAPER TRAY CAPACITY OF 550 SHEETS MAXIMUM PAPER INPUT CAPACITY OF 2,850 SHEETS WITH ADDITIONAL TRAY (OPTIONAL) AND HIGH CAPACITY FEEDER (OPTIONAL)
PRINTS PAPER WEIGHTS UP TO 203GSM
HIGH CAPACITY TONER CARTRIDGES DELIVER 15,000 PRINTED PAGES AT 5% COVERAGE PER A4 PAGE

THE NEW C9000 SERIES V2 FEATURES AT A GLANCE	C9300n V2	C9300dn V2	C9300hdn V2	C9500dn V2	C9500hdn V2
30ppm colour/37 mono	•	•	•	•	•
Printer language	PCL5c/PCL6/ Adobe PostScript®3	PCL5c/PCL6/ Adobe PostScript®3	PCL5c/PCL6/ Adobe PostScript®3	PCL5c/PCL6/ Adobe PostScript®3	PCL5c/PCL6/ Adobe PostScript®3
Auto Colour Balance	•	•	•	•	•
Integrated Networking + USB 2.0	•	•	•	•	•
Resolution	1200 x 600	1200 x 600	1200 x 600	1200 x 1200	1200 x 1200
Hard Disk Drive	○	○	•	○	•
Memory	128MB	192MB	192MB	320MB	320MB
Processor speed	450MHz	450MHz	450MHz	600MHz	600MHz
Automatic double-sided printing	○	•	•	•	•
Second paper tray + High Capacity Feeder	○	○	○	○	○
Banner printing	•	•	•	•	•
Scan Copying	○	○	○	○	○
Finishing (stack, hole-punch, staple)	○	○	○	○	○

Key: • Standard ○ Optional

C9000 Series V2: the flexibility to print what you want, at the size you want

ALL THE SMART FEATURES FOR YOU TO BENEFIT

In essence, 2-in-1 printers make printing colour as easy as printing mono. Colour calibration is done automatically on the C9000 Series V2, with Auto Colour Balance ensuring that colour is consistent on every page, every time. Oki Auto Media Detect also reduces paper wastage, paper jams and frustrating downtime by measuring the weight of each piece of paper to ensure the correct settings and media selections are made.

All this is possible through Oki's market leading expertise in single pass digital LED technology. Not only does this ensure significantly faster print speeds, but the straight paper path makes printing smoother, helping the printer handle different size and weights of media. Smarter technology that ensures you true reliability.

Oki also provides easy-to-use software like Template Manger, with the C9000 Series V2, allowing you to create everything from smart business cards to impactful banners. There's even a range of free network utilities for print management and control. And should you need any help, simply click the 'Ask Oki' button on your printer's driver screen which takes you straight to a dedicated website specifically for the model you're using. We call this commitment to empowering users **Chromability™ – in-house colour printing made easy, only from Oki.**

Super quick to print. Total flexibility of what you want to print.

C9000 SERIES V2 COLOUR AND MONO PRINTERS

THE ULTIMATE WORKGROUP PRINTER. FOR MONO, FOR COLOUR, FOR TRUE VERSATILITY.

WHY OKI?

We believe that effective printed communications are fundamental to successful businesses. That's why we focus purely on understanding their diverse printing requirements. Through our considerable technological resources we develop fast, high quality, cost-effective printing solutions that will benefit businesses today and long into the future.

It is the same progressive spirit that drove Kibataro Oki to found Oki Electric in 1881, and which helped his company to become the global, multi-billion Euro business that it is today. A business whose people share one single-minded purpose: helping other businesses grow and prosper by enabling them to create the best possible impression with their printed communications.

Oki have led the way in making in-house colour printing fast and affordable. We now lead the way in making it easy. This means more than providing unique technologies and in-built functions like fast, single-pass colour, double-sided printing, and banner printing: it means making those functions as easy to use as possible – first time, every time. We call this **Chromability™ – in-house colour printing made easy, only from Oki.** In short, it's about you getting the most from your Oki – and yourself.

Our colour-coded product segments below are designed to help you save time. When you want to add another Oki product to your range, or check out the latest advances in technology on our website, simply use the following colour guide.

COLOUR PRINTERS | **FAX/MFP** | **MONO PRINTERS** | **DOT MATRIX PRINTERS**

C9000 SERIES V2 COLOUR AND MONO PRINTERS

		C9300 V2	C9500 V2
Part nos		C9300n V2: 01132901 C9300dn V2: 01133001 C9300hdn V2: 01133101	C9500dn V2: 01133301 C9500hdn V2: 01133401
Speed & throughput	A4 print speed	30ppm colour, 37ppm mono	
	A4 OHP colour	10ppm	
	A3 print speed	16ppm colour, 20ppm mono	
	Time to first print	11.5 seconds colour, 10 seconds mono	
	Warm-up time	160 seconds	
	Processor speed	450MHz	600MHz
Print quality	Resolution	1200 x 600 dpi	1200 x 1200 dpi
	Enhancements	Automatic Colour Balance ensures consistent colour at power on and at installation of new toner or drum and after 500 printed pages; Auto Registration occurs on power up, when the cover is opened and after 400 printed pages (not in middle of printed job) Toner Save mode, 'Ask Oki'.	
	Colour matching	Oki Colour Matching; ICC-compliant colour profiles for ColorSync and ICM; EuroScale and SWOP commercial press simulations; Pantone certification	
Typefaces	Printer fonts	80 scaleable PCL fonts, 1 bitmap font, 10 TrueType fonts, 136 Adobe Type 1 fonts, OCR A/B, USPS Barcode	
Printing process		Single Pass Digital LED electrophotographic page printer with four image drum cartridges	
Compatibility	Printer languages	Adobe Postscript® 3 with direct PDF printing* and PCL5c and PCL6; Automatic emulation switching; Epson FX and IBM ProPrinter, Dot Matrix emulations (*Hard Disc Drive required)	
	Connectivity	IEE 1284 Bi-directional Parallel and High Speed USB 2; 10/100-TX Ethernet card	
	OS Compatibility	Windows 95 / 98 / 98 SE / ME / NT4 Workstation / NT4 Server / 2000 Workstation / 2000 Professional / 2000 Server / 2000 Advanced Server / XP Professional / XP Home / NT Terminal Server Edition / 2000 Terminal Server with Citrix Metaframe 1.8 or Citrix Met / W2WK3 Server / Macintosh Rendevous / Mac OS 8.6 (or higher), Mac OS X (10.1 or higher) / variants of Unix and Linux via PPDs	
	Network & protocols	10/100 Base TX Ethernet Card with internal Web Server for printer and network card set-up and management. Includes POP3 and SMTP Mail client for submission of print jobs and for alerts. ALL major network protocols supported – TCP/IP, Netware, Ethertalk and NetBEUI. TCP/IP :-ARP, RARP, IP, ICMP, TCP, UDB, LPR, FTP, TELNET, HTTP(IPP), BOOTP, DHCP, SNMP, DNS, JetDirect protocols. Netware 3.x, 4.x, 5.x and 6 with full NDS and NDPS support:- PServer, RPrinter, NDPS supported via dedicated Oki NDPS Gateway. EtherTalk:- ELAP, AARP, DDP, AEP, NBP, ZIP, RTMP, ATP, PAP. NetBEUI:- SMB, NetBIOS.	
	Utilities	Print Control software enables the ability to manage and control colour printing on the network; PrintSuperVision is a web-based software printer management tool; Oki Template Manager is an easy-to-use software that enables simple creation of templates for printing business cards, banners and bar-coded documents; Storage Device Manager* stores and manages forms, letterheads logos and fonts. (*Hard Disk Drive required)	
Memory	RAM	128MB C9300n V2 192MB C9300dn V2 192MB C9300hdn V2	320MB
	Max RAM	1024MB (optional 64MB, 128MB, 256MB, 512MB DIMMs)	
	Hard Disk Drive (min 10GB) (01080301)	Optional C9300n V2 Optional C9300dn V2 Standard C9300hdn V2	Optional C9500dn V2 Standard C9500hdn V2
Paper handling	Paper input	Internal tray: 550 sheets, Multipurpose tray: 100 sheets, Optional: 2nd/3rd paper tray (550 sheets each), Optional: High Capacity Feeder (1,650 sheets), Maximum Paper Capacity (printer + 2nd tray + High Capacity Feeder + Multipurpose tray): 2,850 sheets	
	Paper weight	64 - 203gsm from internal tray (and optional trays); 64 – 203gsm from Multipurpose tray; duplex 75 – 105gsm	
	Duplex unit (01095501)	Optional C9300n V2 Standard C9300dn V2 Standard C9300hdn V2	Standard C9500dn V2 Standard C9500hdn V2
	Paper size (internal and optional tray)	A3, A3 Nobi, Tabloid Extra, Tabloid, A3wide, A4, A4-L, A5, B4, B5, B5-L, A6 (tray 1 only), Legal13, Legal 13.5, Legal14, Letter, Letter-L, Executive	
	Paper size (Multipurpose tray)	A3, A3 Nobi, Tabloid Extra, Tabloid, A3wide, A4, A4-L, A5, A6, B4, B5, B5-L, C5, DL, C4, Com-9, Com-10, Monach, Custom Size (up to 1200mm length), Oki A4 banner, Oki A3 banner, Oki Business Card media, Tabloid, Legal13, Legal 13.5, Legal14, Letter, Letter-L, Executive	
	Paper feeding	Auto Media Detect (automatic paper weight detection), Auto Paper Tray Select (automatically detect paper size up to A3), Tray Empty Sensor	
	Paper output	500 sheets face down, 100 sheets face up	
	Finishing options	2-tray stacker/puncher/stapler (lower tray only), output device with 100 + 1,000 A4 sheet output capacity. Upper tray: 64gsm – 203 gsm face up, Lower tray: 64gsm – 104gsm face down	
	Copying options	S900 Scancopier offers high quality A3 & A4 colour and mono copying at up to 11ppm colour and 27ppm mono. Supplied with UniMessage Pro for scan to PC and to email. Automatic Document Feeder optional	
Operating conditions	Temperature/Humidity (operating)	10ºC – 32ºC (17ºC – 27ºC recommended) / 20% to 80% RH (50% to 70% RH recommended)	
	Storage	-10ºC – 43ºC, 10% to 90% RH	
Power requirements	Power supply	Single phase 220-240VAC, frequency 50Hz +/- 2Hz	
	Power consumption	Typical 800W, Peak 1400W, Idle 200W (average), Power Save < 75W	
Noise level		Operating: 55dB(A), Standby: 45dB(A), Power save: 43dB(A)	
Dimensions (HxWxD)		460 x 666 x 626 mm	
Weight (base unit)		72kg approx	
Duty Cycle	Printer duty (max)	150,000 pages/month	
Warranty		Pan European 1 year on-site	
Consumables life	Toner	15,000 pages @ 5% coverage per colour (printers are shipped with 7,500 pages worth of each toner @ 5% coverage)	
	Drum	30,000 page average life	
	Fuser	80,000 pages	
	Transfer belt	80,000 pages @ 3 pages / job	
Accessories		2nd/3rd tray (41945803), High Capacity Feeder (41945903), Cabinet (09002967), 64 MB DIMM (01080401), 128 MB DIMM (01080402), 256 MB DIMM (01080403), 512 MB DIMM (01080404), 2 hole Finisher (01111202), 4 hole Finisher (01111201), Finisher stand (01078401), S900 Scancopier (09004072), Scancopier stand kit (09004003), Scancopier Auto Document Feeder (09002988)	

OKI

Only use genuine Oki Original consumables to ensure the best quality and performance from your hardware. Non Oki Original products may damage your printer's performance and invalidate your warranty. Specifications subject to change without notice. All trademarks acknowledged.

Oki, Network Solutions for a Global Society

Oki Europe, part of Oki Electric

Oki Europe Ltd,
Central House, Balfour Road,
Hounslow, Middlesex, TW3 1HY,
United Kingdom
tel: +44(0) 20 8219 2190
fax: +44(0) 20 8219 2199

www.okieurope.com

energy®

As an ENERGY STAR Partner, Oki Europe Ltd has determined that this product meets the ENERGY STAR guidelines for energy efficiency.

© 2004 Oki Europe Ltd.